

**SPEAK2 RANGE**

**The next generation of professional speakerphones, engineered for hybrid working**

- > Super-wideband audio\* and full-range speakers
- > Advanced Full Duplex audio powers natural conversations
- > Four beamforming noise-cancelling microphones
- > Microphone Quality Indicator\* so you know you're being heard\*\*
- > Voice Level Normalization equalizes all voices
- > Certified for leading virtual meeting platforms



**SPEAK2 40**

**SPEAK2 55**

**SPEAK2 75**

General info		SPEAK2 40	SPEAK2 55	SPEAK2 75
Box contents		Speakerphone, carry pouch, safety information and warranty	Speakerphone, carry pouch, safety information and warranty	Speakerphone, Link 380 Bluetooth adapter (variant dependent), carry pouch, safety information and warranty
Packaging Dimensions		153mm x 49mm x 155mm   6in x 1.9in x 6.1in	142mm x 46.5mm x 139mm   5.6in x 1.8in x 5.5in	153mm x 49mm x 155mm   6in x 1.9in x 6.1in
Main unit dimensions (ØxH)		Ø120mm x 33mm   Ø4.72in x 1.3in	Ø120mm x 33mm   Ø4.72in x 1.3in	Ø132.5mm x 35mm   Ø5.22in x 1.38in
Weight		245g   8.64oz	280g   9.88oz	466g   16.44oz
IP Rating		IP64-rated protection from dust and water***	IP64-rated protection from dust and water***	IP64-rated protection from dust and water***
Warranty		2 years	2 years	2 years
Certifications and compliance ****		UC variant: Amazon Chime Google Meet Zoom MS variant: Microsoft Teams	UC variant: Amazon Chime Google Fast Pair Google Meet Zoom MS variant: Microsoft Swift Pair Microsoft Teams	UC variant: Alcatel-Lucent Amazon Chime Avaya Cisco Google Fast Pair Google Meet MFi Unify Zoom Zoom Rooms MS variant: Microsoft Swift Pair Microsoft Teams Microsoft Teams Rooms

\*Speak2 75 only

\*\* Initial activation is required via the Jabra Sound+ or Jabra Direct apps

\*\*\* Avoid exposing the USB cable or adapter plug to moisture or liquids and never charge or power up if the USB cable or adapter plug is wet or moist

\*\*\*\* Certified for USB connection or Jabra Link 380 Bluetooth adapter connection Standard Bluetooth connections are not certified

		SPEAK2 40	SPEAK2 55	SPEAK2 75
<b>Audio</b>	Ideal for room sizes	Up to 4.5m x 4.5m   14.76ft x 14.76ft	Up to 4.5m x 4.5m   14.76ft x 14.76ft	Up to 4.5m x 4.5m   14.76ft x 14.76ft
	Number of microphones	4	4	4
	Microphone type	Digital MEMS	Digital MEMS	Digital MEMS
	Microphone frequency range	150Hz - 7000Hz	150Hz - 7000Hz	150Hz - 14000Hz
	Microphone pick up range	Up to 2.3m   7.5ft	Up to 2.3m   7.55ft	Up to 2.5m   8.2ft
	Full Duplex	Yes	Yes	Yes
	Signal-to-noise ratio (SNR)	N/A	N/A	72dB
	Speaker Size	50mm   1.97in	50mm   1.97in	65mm   2.6in
	Peak Audio Output	83 dBspl @ 0.5m	85 dBspl @ 0.5m	88 dBspl @ 0.5m
	Speaker bandwidth (music mode)	100Hz - 20000Hz	100Hz - 20000Hz	80Hz - 20000Hz
	Speaker bandwidth (speak mode)	150Hz - 7000Hz	150Hz - 7000Hz	150Hz - 14000Hz
	Acoustic echo cancellation (AEC)	Yes	Yes	Yes
	Reverberation reduction	N/A	N/A	Yes
	Voice Level Normalization (Automatic Gain Control, AGC)	Yes (for outgoing audio)	Yes (for outgoing audio)	Yes (for incoming and outgoing audio)
	Wideband	Up to 8000Hz	Up to 8000Hz	Super-wideband up to 16000Hz
	Super-wideband (SWB) ****	N/A	N/A	Up to 16000Hz
	Microphone Quality Indicator (enable in Jabra app)	N/A	N/A	Yes
Noise reduction on calls	Yes	Yes	Yes	
<b>Software &amp; Apps</b>	Compatible software and/or apps	Jabra Direct, Jabra Xpress	Jabra Direct, Jabra Xpress	Jabra Direct, Jabra Sound+, Jabra Xpress
<b>Battery</b>	Talk Time	N/A	Up to 12 hours	Up to 32 hours
	Corded charging	N/A	Integrated USB C cable with USB A adapter	Integrated USB C cable with USB A adapter
	Charging time (USB C/A 1 A)	N/A	Up to 2.5 hours	Up to 2.5 hours
	Charging time (USB C/A 0.5 A)	N/A	Up to 5 hours	Up to 5 hours
	Battery type	N/A	Rechargeable lithium-ion battery	Rechargeable lithium-ion battery
	Battery capacity	N/A	2 x 900 mA	4700 mA
<b>Connectivity</b>	Connectivity	USB C or USB A	USB C or USB A, Bluetooth (for smartphone/tablet only)	USB C or USB A, Bluetooth (for smartphone/tablet only)
	Bluetooth adaptor	N/A	N/A	USB A   USB C
	Bluetooth® version	N/A	5.1	5.2
	Bluetooth® profiles	N/A	A2DP, AVRCP, BLE, (Google Fast Pair), HFP	A2DP, AVRCP, BLE (Microsoft Swift Pair, Google Fast Pair), HFP, HSP
	Operating range (Bluetooth)	N/A	Up to 30m   98ft	Up to 30m   98ft
	Paired devices	NA	Up to 8 Bluetooth devices	Up to 8 Bluetooth devices
	Simultaneous Bluetooth connections	N/A	2	2
	Integrated USB cable length	ca. 80cm   31.5in	ca. 80cm   31.5in	ca. 75cm   29.5in
<b>Extended Info</b>	Operating temperature	0°C to 45°C   32°F to 104°F	0°C to 45°C   32°F to 104°F	0°C to 45°C   32°F to 104°F
	Storage temperature	-20°C to 45°C   -4°F to 113°F	-20°C to 45°C   -4°F to 113°F	-20°C to 45°C   -4°F to 113°F

\*\*\*\*Requires a USB connection and all connected meeting participants to have a super-wideband supported device and conferencing app

<b>Products</b>	2775-109	Jabra Speak2 75 – MS Teams, Dark Grey
	2775-209	Jabra Speak2 75 – UC, Dark Grey
	2775-319	Jabra Speak2 75 – MS Teams – Link 380a, Dark Grey
	2775-329	Jabra Speak2 75 – MS Teams – Link 380c, Dark Grey
	2775-419	Jabra Speak2 75 – UC – Link 380a, Dark Grey
	2775-429	Jabra Speak2 75 – UC – Link 380c, Dark Grey
	2755-109	Jabra Speak2 55 – MS Teams, Dark Grey
	2755-209	Jabra Speak2 55 – UC, Dark Grey
	2740-109	Jabra Speak2 40 – MS Teams, Dark Grey
	2740-209	Jabra Speak2 40 – UC, Dark Grey
<b>Accessories</b>	14101-90	Jabra Speak2 75 Secure Mount
	14208-10	Jabra Kensington Lock Adaptor
	14208-22	Jabra Link 380c MS – USB C – Bluetooth Adapter
	14208-24	Jabra Link 380a MS – USB A – Bluetooth Adapter
	14208-25	Jabra Link 380c UC – USB C – Bluetooth Adapter
	14208-26	Jabra Link 380a UC – USB A – Bluetooth Adapter