



Century™ Series

SC 600 Series

Quality speaks louder than words

Today's contact center and office professionals expect a lot from their headsets: They require outstanding sound performance for natural, conversational communication, extreme durability to withstand the toughest business environments and exceptional comfort for long hours of use.

The Century™ Series of wired headsets delivers on all points. In addition, the flexibility to connect to a variety of devices and stay mobile - plus seamless interaction and full call control with all major Unified Communications platforms and phone solutions. The Century™ Series of wired headsets covers every situation with premium quality and style.

BENEFITS & FEATURES

- **Natural listening experience**
With Sennheiser Voice Clarity
- **Perfect speech output**
Ultra noise-cancelling microphone
- **Outstanding sound quality**
High-quality neodymium speaker
- **High-quality durable design**
Brushed aluminum and stainless steel components
- **Extreme durability**
Unibody headband construction for maximum strength at stress points
- **Exceptional wearing comfort**
Large leatherette ear pads for all day comfort and powerful sound
- **Personal fit**
Extension headband with number indications for accurate adjustment
- **Easy to store and bring along**
With fold-flat ear cups and carry pouch

See more at www.sennheiser.com/century



The Century™ Series offers, with its 15 variants, connectivity to a variety of devices. See all headset variants and connectivity options in the table overview on page 3





Century™ Series

SC 600 Series

Product Data

General Data

Wearing Style	Headband – single and double sided variants. See table overview.
Color	Black with silver
Headset weight	Single sided 59 g / 2.1 oz Double-sided 95 g / 3.4 oz

Audio

Sennheiser Voice Clarity	For a clear and natural listening experience
Microphone	Ultra noise-cancelling microphone for optimal speech transmission
Microphone frequency range	150 – 6,800 Hz (Wideband)
Speaker type	High-quality neodymium magnet speaker for outstanding audio quality
Speaker frequency response – multimedia	50 - 18,000 Hz 50 - 12,000 Hz (SC 638 / SC 668)
Sound pressure	Limited by ActiveGard®: Max. 103 dB via ED Max. 110 dB via ED (SC 638 / SC 668) Max. 113 dB via USB Max. 118 dB via 3.5 mm jack
Made for communication & multimedia	Sound enhancement profiles adjust automatically for optimal communication or multimedia use*

Hearing Protection

ActiveGard® Technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work limiter*/**	Enhanced audio protection preventing listening fatigue, average 85 dB over a work day

*Available when the headset is connected via USB

**In compliance with EU Noise at Work legislation (Directive 2003/10/EC)

***Available on variants: SC 635 USB & SC 665

Easy Call Management

In-line call control (USB)	Answer/end call, volume up/down and mute
In-line mini call control (3.5 mm jack)***	Answer/end call

Long-Term Reliability

Vectran™ reinforced cable	For extreme durability
Unibody headband construction	For maximum strength
Warranty	3 years

Content of delivery

What's in the box	Headset, quick guide, safety guide, leatherette ear pad/s, carry pouch, magnetic holder, cable clip mounted on headset,
-------------------	---

Cloud Based Asset Management

HeadSetup™ Pro Manager	Manage, update and configure your Sennheiser audio devices from one location:
------------------------	---

www.sennheiser.com/headsetup-pro-manager

For information about accessories and spare parts go to:






www.sennheiser.com/century



Century™ Series Overview

SC 600 Series



Connects to	Product name /Art.no	Description	Details	EAN no. / UPC no.	
Desk phone via Easy Disconnect (ED) 	SC 630 Art. no 504556	Single-sided, ED	Optimized for use with desk phones	EAN: 40 44155 08347 9 UPC: 6 15104 23704 9	
	SC 660 Art. no 504557	Double-sided, ED	Easy Disconnect plug with quick release mechanism	EAN: 40 44155 08348 4 UPC: 6 15104 23708 7	
	Special requirements	SC 632 Art. no 504558	Single-sided, ED, low impedance	Optimized for low impedance devices	EAN: 40 44155 08349 1 UPC: 6 15104 23712 4
		SC 662 Art. no 504559	Double-sided, ED, low impedance		EAN: 40 44155 08350 7 UPC: 6 15104 23714 8
		SC 638 Art. no 506494	Single-sided, ED, narrowband		Optimized for narrowband desk phones
SC 668 Art. no 506495	Double-side, ED, narrowband	EAN: 40 44155 20497 1 UPC: 6 15104 26744 2			
 TELECOIL	SC 660 TC Art. no 507099	Double-sided, ED, hearing aid	Optimized for all standard telecoil hearing aids	EAN: 40 44155 21456 7 UPC: 6 15104 28066 3	
PC via USB 	SC 630 USB CTRL Art. no 504554	Single-sided, USB, UC optimized	Optimized for UC	EAN: 40 44155 08345 3 UPC: 6 15104 23698 1	
	SC 660 USB CTRL Art. no 504555	Double-sided, USB, UC optimized	In-line call control for easy call management	EAN: 40 44155 08346 0 UPC: 6 15104 23700 1	
	SC 630 USB ML Art. no 504552	Single-sided, USB, Skype for Business Certified	Certified for Skype for Business	EAN: 40 44155 08343 9 UPC: 6 15104 23696 7	
	SC 660 USB ML Art. no 504553	Double-sided, USB, Skype for Business Certified	In-line call control for easy call management	EAN: 40 44155 08344 6 UPC: 6 15104 23697 4	
PC, smartphone and tablet via USB/3.5 mm jack 	SC 635 USB Art. no 507254	Single-sided, USB/3.5 mm jack	Optimized for UC & Certified for Skype for Business	EAN: 40 44155 22408 5 UPC: 6 15104 30132 0	
	SC 665 USB Art. no 507257	Double-sided, USB/3.5 mm jack	Offering added mobility and flexibility	EAN: 40 44155 22411 5 UPC: 6 15104 30135 1	
Smartphone and tablet via 3.5 mm jack 	SC 635 Art. no 507253	Single-sided, 3.5 mm jack	For phones/tablets with 3.5 mm connector*	EAN: 40 44155 22407 8 UPC: 6 15104 30131 3	
	SC 665 Art. no 507256	Double-sided, 3.5 mm jack	USB controller cable available as accessory	EAN: 40 44155 22410 8 UPC: 6 15104 30134 4	

*Compatible with other connection types when adaptor is used.